	Application No.		Applicant(s)	
Notice of Allowability	09/513,396		CHEN ET AL.	
	Examiner		Art Unit	
	Paul Gurzo		2881	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.				
 This communication is responsive to 10/7/03. The allowed claim(s) is/are 1-20. The drawings filed on 07 October 2003 are accepted by the Examiner. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). All b)				
* Certified copies not received: 5. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application). (a) The translation of the foreign language provisional application has been received. 6. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121. Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.				
7. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.				
8. CORRECTED DRAWINGS must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No (b) including changes required by the proposed drawing correction filed, which has been approved by the Examiner. (c) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No				
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet.				
9. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.				
Attachment(s)				
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) Information Disclosure Statements (PTO-1449), Paper No	·	2☐ Notice of Informa 4☐ Interview Summa 6☐ Examiner's Amen 8⊠ Examiner's States 9☐ Other	ary (PTO-413), Paper ndment/Comment	No
				ı

Art Unit: 2881

DETAILED ACTION

Terminal Disclaimer

The terminal disclaimer filed on October 7, 2003 disclaiming the terminal portion of any patent granted on this application which would extend beyond the expiration date of U.S. Patent 6,489,622 has been reviewed and is accepted. The terminal disclaimer has been recorded.

Allowable Subject Matter

Claims 1-20 are allowed.

The following is an examiner's statement of reasons for allowance: As the claimed invention was read in light of the specification, the prior art of record fails to disclose or render obvious a method for performing an ion implantation comprising a target chamber for containing a target for implantation and an ion source chamber including an ion source for generating an ion beam and disposing at a beam entrance in said target chamber a beam deceleration optics that includes means for generating an off-axis electric field for decelerating and deflecting charged particles in a vertically spread beam of said ion beam to project toward said target along a deflected angle away from the neutralized particles in said ion beam.

The closest prior art, Adibi et al. (5,883,391) and Dawson (6,111,260), teach a method for performing an ion implantation comprising a target chamber for containing a target for implantation and an ion source chamber including an ion source for generating an ion beam and decelerating the beam. However, they are silent as to the exact placement of the deceleration optics as well as defecting in a vertically spread beam.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

Application/Control Number: 09/513,396

Art Unit: 2881

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for

Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Paul Gurzo whose telephone number is (703) 306-0532. The

examiner can normally be reached on M-Thurs. 7:30 - 6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, John Lee can be reached on (703) 308-4116. The fax phone numbers for the

organization where this application or proceeding is assigned are (703) 872-9318 for regular

communications and (703) 872-9319 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding

should be directed to the receptionist whose telephone number is (703) 308-0956.

PMG

October 27, 2003

Page 3